

# Sebco™

## Coconut Oil Compound

Coal Tar Solution 12% w/w  
Salicylic Acid 2% w/w  
Sulfur for External Use 4% w/w

# It simply works



## For the treatment of scaly scalp conditions

Another trusted  
product from



**Sebco™** - for the effective management of scaly scalp disorders.

**Sebco™** softens and removes the scale as well as having mild antipruritic and antiseptic properties.

**Coconut oil compound** ointment (Ung. Cocois Co.) is a trusted treatment for scalp conditions which has been used by dermatologists and doctors for over 70 years.

**Sebco™ is indicated for the treatment of common scaly scalp disorders such as:**

- **Psoriasis\***
- **Eczema**
- **Seborrhoeic dermatitis**
- **Dandruff**

*\* NICE recommend a topical treatment containing salicylic acid and oils as a second line treatment for patients with scalp psoriasis<sup>1</sup>*

**Sebco™** may represent significant savings when compared to other 2nd and 3rd line treatments for Scalp Psoriasis <sup>(2)(3)</sup>

Product	Sebco™	Diprosalic Scalp Application	Dovobet Gel*
Active Ingredients	Coal Tar Solution 12% Salicylic Acid 2% Sulfur for External Use 4%	Betamethasone Dipropionate 0.064% w/w* (* equivalent to 0.05% Betamethasone), Salicylic Acid 2.00% w/w	Calcipotriol / Betamethasone Gel 0.005%/0.05%
Treatment <sup>3</sup>	2nd line	2nd line	3rd line
Pack - NHS Price	100g - £13.38 40g - £7.91	100ml - £10.10	60g - £37.21 60g x2 - £69.11 60g - £37.21 Applicator
7 day cost*	£5.54	£5.66	£17.36

\*7 day cost represents SMPC maximum application frequency

# Sebco™

## Coconut Oil Compound

Coal Tar Solution 12% w/w  
Salicylic Acid 2% w/w  
Sulfur for External Use 4% w/w

# How to apply Sebco™


- 1** Remove the cap and screw applicator onto tube



- 2** Part the hair at the point of the affected area



- 3** Apply Sebco™ to affected area



- 4** Leave for one hour



- 5** Wash out with warm water and mild shampoo



**Repeat daily for 3-7 days until scale is brought under control**

**Use intermittently as necessary to keep scale under control**



# Sebco™

## Coconut Oil Compound

Coal Tar Solution 12% w/w  
Salicylic Acid 2% w/w  
Sulfur for External Use 4% w/w

For more details, contact us:

**E:** [info@dermauk.co.uk](mailto:info@dermauk.co.uk)

**W:** [dermauk.co.uk/sebco](http://dermauk.co.uk/sebco)

**T:** 0191 375 9020

### Sebco™ Prescribing Information

**Presentation:** Ointment containing coal tar solution 12%, salicylic acid 2%, sulfur for external use 4%. **Uses:** Treatment of common scaly scalp disorders such as psoriasis, eczema, seborrheic dermatitis and dandruff. **Dosage:** Gently rub into scalp, leave in contact for approximately one hour. Wash out using warm water and mild shampoo. For severe scalp conditions, use daily for 3-7 days until improvement is obtained then intermittently as necessary. For less severe conditions such as dandruff use intermittently as necessary, e.g. once a week. If symptoms persist after 4 weeks consult your doctor. For children 6-12 years use under medical supervision only. Not recommended for use on children under six years.

**Contraindications:** Skin infections of the scalp, or known sensitivity to any of the ingredients. Use in Pregnancy and Lactation: To be used at the discretion of the prescribing doctor. **Warnings and Precautions:** Instruct patients not to smoke or go near naked flames - risk of severe burns. Fabric (clothing, bedding, dressings etc) that has been in contact with this product burns more easily and is a serious fire hazard. Washing clothing and bedding may reduce product build-up but not totally remove it. Avoid contact with eyes, and any areas of broken skin. Coal tar may stain clothes and jewellery. Remove or protect these items during treatment. **Side Effects:** May cause skin irritation, folliculitis and rarely photosensitivity. In the event of such a reaction, discontinue use. Prescribers should consult the Summary of Product Characteristics in relation to other side effects. **Pharmaceutical Precautions:** Store below 25°C. Do not refrigerate. Replace the cap after use and return tube to carton. Discard tube no later than 4 weeks after opening. **Package Quantities:** 100g tube, 40g tube.

**Basic NHS Price:** 40g £7.91, 100g £13.38. **Legal Category:** GSL. **Marketing Authorisation Number:** PL 19876/0001. Full prescribing information is available on request. **Marketing Authorisation Holder:** Derma UK Ltd, The Toffee Factory, Lower Steenbergs Yard, Ouseburn, Newcastle upon Tyne NE1 2DF, UK. "Sebco" and "Derma UK" are registered Trade Marks. **Date of Revision of Text:** November 2019.

Please refer to the full SPC text before prescribing this product. Adverse events should be reported. Reporting forms and information can be found at <http://yellowcard.mhra.gov.uk>.

Adverse events should also be reported to Derma UK Ltd, UK on 0191 375 9020

Another trusted product from



- References: 1. National Institute for Health and Care Excellence, Psoriasis, <https://bnf.nice.org.uk/treatment-summary/psoriasis.html>, (accessed 31st January 2020)  
2. National Institute for Health and Care Excellence, Psoriasis, <https://cks.nice.org.uk/psoriasis/#:scenario=2> (accessed 31st January 2020)  
3. National Institute for Health and Care Excellence, BROWSE DRUGS, <https://bnf.nice.org.uk/drug/>, (accessed 31st January 2020))

SEB/55/0320

Date of Preparation: March 2020